

N.P.T., Socket Weld and Sweat End Y-Strainers

Y250TIT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate										
ITEM #: Y250TIT										
M.A.W.P.:	400 psig at 150 F		End Connection:		N.P.T.		Drain Connection:		N.P.T.	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Non-Asbestos	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	21	21	21	32	38	59	80	131	268	314
Spare Gasket Price:	15	15	15	21	28	35	51	61	71	71
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs.:	2	2	2	3	3	6	8	13	22	30

Y125TBT/SBT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate										
ITEM #: Y125TBT / Y125SBT										
M.A.W.P.:	200 psig at 150 F		End Connection:		N.P.T. / Sweat		Drain Connection:		N.P.T.	
Body Material:	Bronze (B62)		Screen:		304 SS		Gasket:		Non-Asbestos	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	47	47	47	64	99	147	200	300	506	738
Spare Gasket Price:	11	11	11	18	21	28	40	48	55	55
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs.:	1	1	1	1	2	2	3	4	11	16

Y250TBT Screen: Sizes 1/4" to 2" have mesh only screen. Above 2", screen is perforated plate										
ITEM #: Y250TBT										
M.A.W.P.:	400 psig at 150 F		End Connection:		N.P.T.		Drain Connection:		N.P.T.	
Body Material:	Bronze (B62)		Screen:		304 SS		Gasket:		Silicon	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"		
Item Price:	50	74	118	163	250	416	715	968		
Spare Gasket Price:	3	3	5	7	7	9	9	15		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs.:	1	2	2	3	4	8	10	13		

ITEM #: Y300TST / Y300SWST										
M.A.W.P.:	740 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		Teflon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	89	89	89	106	158	207	241	407	847	1271
Spare Gasket Price:	8	8	8	10	10	12	12	15	20	20
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs.:	1	1	1	1	2	2	3	5	6	8

ITEM #: Y300TSST / Y300SWSST										
M.A.W.P.:	720 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	Teflon		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
Item Price:	151	151	151	177	277	363	408	701	1389	2083
Spare Gasket Price:	8	8	8	10	10	12	12	15	20	20
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"
Item Weight - Lbs:	1	1	1	1	2	2	3	5	6	8

ITEM # Y600TST / Y600SWSST / Y600TSB / Y600SWSB										
M.A.W.P.:	1480 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp Wound		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"	2 1/2"	3"		
Item Price:	85	101	151	202	269	386	2081	2382		
Spare Gasket Price:	20	22	27	28	33	36	46	52		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs:	2	3	5	7	10	15	63	77		

ITEM #: Y600TSST / Y600SWSST / Y600TSSB / Y600SWSSB										
M.A.W.P.:	1440 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp Wound		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"		
Item Price:	172	221	393	648	771	1107	5168	5950		
Spare Gasket Price:	20	22	27	28	33	36	46	52		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"		
Item Weight - Lbs.:	2	3	5	7	10	15	63	77		

ITEM #: Y600TLCT / Y600SWLCT										
M.A.W.P.:	1480 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Low Temp C.S.			Screen:	304 SS		Gasket:	304 SS Sp Wound		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				
Item Price:	183	208	360	P.O.A	677	967				
Spare Gasket Price:	21	23	28		34	38				
Std. Screen Size:	0.032"	0.032"	0.032"		0.032"	0.032"				
Item Weight - Lbs.:	2	3	5		10	15				

ITEM #: Y600TA20T / Y600SWA20T										
M.A.W.P.:	1200 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Alloy 20 (CN7M)			Screen:	Alloy 20 (CN7M)		Gasket:	Alloy 20 Sp Wound		
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"				
Item Price:	471	596	911	P.O.A	1735	2568				
Spare Gasket Price:	293	351	351		415	479				
Std. Screen Size:	0.032"	0.032"	0.032"		0.032"	0.032"				
Item Weight - Lbs.:	2	3	5		10	15				

ITEM #: Y1500TST / Y1500SWST										
M.A.W.P.:	3705 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"							
Item Price:	155	246	425							
Spare Gasket Price:	24	27	31							
Std. Screen Size:	0.032"	0.032"	0.032"							
Item Weight - Lbs.:	3	5	7							

ITEM #: Y1500TSST / Y1500SWSST										
M.A.W.P.:	3600 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"							
Item Price:	356	484	878							
Spare Gasket Price:	24	27	31							
Std. Screen Size:	0.032"	0.032"	0.032"							
Item Weight - Lbs.:	3	5	7							

ITEM #: Y1500TSB / Y1500SWSB										
M.A.W.P.:	3705 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	Optional		
Body Material:	Carbon Steel (WCB)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	334	535	933	998	998	1372				
Spare Gasket Price:	22	26	29	32	34	40				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs.:	7	10	16	22	22	30				

ITEM #: Y1500TSSB / Y1500SWSSB										
M.A.W.P.:	3600 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	Optional		
Body Material:	316 SS (CF8M)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	666	862	1380	2351	2351	3274				
Spare Gasket Price:	22	26	29	32	34	40				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs.:	7	10	16	22	22	30				

ITEM #: Y1500T52CMB / Y1500SW52CMB										
M.A.W.P.:	3750 psig at 100 F			End Connection:	N.P.T. / Socket Weld		Drain Connection:	N.P.T.		
Body Material:	Chr. Molly (WC6)			Screen:	304 SS		Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	530	748	931	1489	1679	2173				
Spare Gasket Price:	24	28	31	35	38	42				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs.:	7	10	16	22	22	30				

ITEM #: Y1500T52CMT / Y1500SW52CMT										
M.A.W.P.:	3750 psig at 100 F			End Connection:	N.P.T. / Socket Weld			Drain Connection:	N.P.T.	
Body Material:	Chr. Molly (WC6)			Screen:	304 SS			Gasket:	304 SS Sp. Wound	
Size:	1/2"	3/4"	1"							
Item Price:	205	324	564							
Spare Gasket Price:	24	28	31							
Std. Screen Size:	0.032"	0.032"	0.032"							
Item Weight - Lbs.:	3	5	7							

Flanged, Buttweld and RTJ Y-Strainers

ITEM #: Y125FDIB										
M.A.W.P.:	200/150 psig at 150 F			End Connection:	125 Lb. FF Flanged			Drain Connection:	N.P.T.	
Body Material:	Ductile Iron			Screen:	304 SS			Gasket:	Graphite	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	112	161	205	327	440	618	1065	1994	2735	
Spare Gasket Price:	12	12	24	24	36	65	89	115	140	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:	22	35	43	75	115	154	243	390	650	

ITEM #: Y125FIB										
M.A.W.P.:	200/150 psig at 150 F			End Connection:	125 Lb. FF Flanged			Drain Connection:	N.P.T.	
Body Material:	Cast Iron			Screen:	304 SS			Gasket:	Graphite	
Size:	14"	16"	18"	20"	24"					
Item Price:	9064	12096	14957	18480	23187					
Sp. Gasket Price:	164	175	184	272	324					
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"	0.125"					
Item Weight - Lbs.:	815	1224	1895	3350	4705					

ITEM #: Y250FDIB										
M.A.W.P.:	500 psig at 150 F			End Connection:	250 Lb. RF Flanged			Drain Connection:	N.P.T.	
Body Material:	Ductile Iron (A395)			Screen:	304 SS			Gasket:	Graphite	
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	502	686	962	1595	2074	2933	4158	7650	12060	
Spare Gasket Price:	6	6	12	12	17	30	43	67	110	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:	28	38	54	110	160	224	468	590	750	

ITEM #: Y150FSB										
M.A.W.P.:	285 psig at 100 F		End Connection:		150 Lb. RF Flanged		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Item Price:	215	283	384	478	529	771	932	1487	2232	2725
Spare Gasket Price:	20	20	22	28	35	49	49	60	62	75
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"
Item Weight - Lbs.:	6	7	9	12	20	32	36	61	110	160
Size:	8"	10"	12"	14"	16"	18"	20"	24"		
Item Price:	4414	9488	13408	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Spare Gasket Price:	88	149	194							
Std. Screen Size:	0.125"	0.125"	0.125"							
Item Weight - Lbs.:	210	440	585							

ITEM #: Y150FSSB										
M.A.W.P.:	275 psig at 100 F		End Connection:		150 Lb. RF Flanged		Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	
Item Price:	437	559	744	997	1354	2220	2705	3968	6694	
Spare Gasket Price:	20	20	22	28	35	49	49	60	62	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"	
Item Weight - Lbs.:	6	7	9	12	20	32	36	61	110	
Size:	6"	8"	10"	12"	14"	16"	18"	20"	24"	
Item Price:	7911	12734	26638	37109	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.	
Spare Gasket Price:	75	88	149	194						
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"						
Item Weight - Lbs.:	160	210	440	585						

ITEM #: Y300FSB										
M.A.W.P.:	740 psig at 100 F		End Connection:		300 Lb. RF Flanged		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	
Item Price:	247	484	633	667	626	959	1347	1987	4476	
Spare Gasket Price:	20	20	22	28	35	49	49	60	62	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"	0.125"	
Item Weight - Lbs.:	8	14	15	26	32	36	55	88	180	
Size:	6"	8"	10"	12"	14"	16"	18"	20"	24"	
Item Price:	4198	6743	12129	18976	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.	
Spare Gasket Price:	75	88	149	194						
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"						
Item Weight - Lbs.:	200	290	520	680						

Toll Free: 1.866.872.0072

Local: 905.335.8777

Email: ifc@islipflowcontrols.com

Toll Free Fax: 1.866.872.0073

Local Fax: 905.335.0977

Website: www.islipflowcontrols.com

ITEM #: Y300BWSB										
M.A.W.P.:	740 psig at 100 F		End Connection:	Buttweld			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)		Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	2138	2362	3019	3431	5566	5569	7587	12084	16124	
Spare Gasket Price:	35	49	49	60	62	75	88	149	194	
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	15	25	45	68	90	120	170	360	550	

ITEM #: Y300FSSB										
M.A.W.P.:	720 psig at 100 F		End Connection:	300 Lb. RF Flanged			Drain Connection:	N.P.T.		
Body Material:	316 SS (CF8M)		Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	1/2"	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Item Price:	649	991	1078	2100	1956	2978	3886	6214	P.O.A.	12350
Spare Gasket Price:	20	20	22	28	35	49	49	60		75
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	0.045"	0.125"		0.125"
Item Weight - Lbs:	8	14	15	26	32	36	55	88		200
Size:	8"	10"	12"	14"	16"	18"	20"	24"		
Item Price:	21029	38825	60326	P.O.A.	P.O.A.	P.O.A.	P.O.A.	P.O.A.		
Spare Gasket Price:	88	149	194							
Std. Screen Size:	0.125"	0.125"	0.125"							
Item Weight - Lbs:	290	520	680							

ITEM #: Y600FSB										
M.A.W.P.:	1480 psig at 100 F		End Connection:	RF Flanged			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)		Screen:	304 SS			Gasket:	304 SS Sp. Wound		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	1322	P.O.A.	2712	4706	P.O.A.	8717	14138	27103	40051	
Spare Gasket Price:	47		62	85		115	138	181	207	
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	45		109	197		409	710	1430	1750	

ITEM #: Y600RTJSB										
M.A.W.P.:	1480 psig at 100 F		End Connection:	RTJ Flanged			Drain Connection:	N.P.T.		
Body Material:	Carbon Steel (WCB)		Screen:	304 SS			Gasket:	304 SS Oval Ring		
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	1458	P.O.A.	2976	5186	P.O.A.	9578	P.O.A.	P.O.A.	P.O.A.	
Spare Gasket Price:	215		461	538		712				
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"				
Item Weight - Lbs:	45		109	197		409				

ITEM #: Y600FSSB									
M.A.W.P.:	1440 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		N.P.T.
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	4046	P.O.A.	7482	15030	P.O.A.	27325	43526	81843	106080
Spare Gasket Price:	47		62	85		115	138	181	207
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	45		109	197		409	710	1430	1750

ITEM #: Y600RTJSSB									
M.A.W.P.:	1440 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		N.P.T.
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	4447	P.O.A.	8222	16535	P.O.A.	30069	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	215		461	538		712			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	45		109	197		409			

ITEM #: Y900FSB									
M.A.W.P.:	2220 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3088	P.O.A.	3880	5985	P.O.A.	13285	23640	33971	P.O.A.
Spare Gasket Price:	114		166	222		277	360	414	
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"	0.125"	
Item Weight - Lbs:	125		163	253		550	1075	1950	

ITEM #: Y900RTJSB									
M.A.W.P.:	2220 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3415	P.O.A.	4262	6582	P.O.A.	14603	26004	P.O.A.	P.O.A.
Spare Gasket Price:	308		461	538		707	1044		
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"	0.125"		
Item Weight - Lbs:	125		163	253		550	1075		

ITEM #: Y900FSSB									
M.A.W.P.:	2160 psig		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	9340	P.O.A.	12058	18212	P.O.A.	39068	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	114		166	222		277			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		163	253		550			

ITEM #: Y900RTJSSB									
M.A.W.P.:	2160 psig		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	10262	P.O.A.	13009	19651	P.O.A.	42163	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	308		461	538		707			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		163	253		550			

ITEM #: Y1500FSB									
M.A.W.P.:	3705 psig at 100 F		End Connection:		RF Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3088	4218	6151	9056	P.O.A.	19303	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	114	139	166	221		277			
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"			
Item Weight - Lbs:	125	197	234	355		812			

ITEM #: Y1500RTJSB									
M.A.W.P.:	3705 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	3386	P.O.A.	6765	9967	P.O.A.	21228	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	308		507	599		814			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		234	355		812			

ITEM #: Y1500FSSB									
M.A.W.P.:	3600 psig at 100 F		End Connection:		RF		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	9081	13327	19756	27395	P.O.A.	62035	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	114	139	166	221		277			
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"			
Item Weight - Lbs:	125	197	234	355		812			

ITEM #: Y1500RTJSSB									
M.A.W.P.:	3600 psig at 100 F		End Connection:		RTJ Flanged		Drain Connection:		Optional
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Oval Ring
Size:	2"	2 1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	9990	P.O.A.	19826	30124	P.O.A.	68239	P.O.A.	P.O.A.	P.O.A.
Spare Gasket Price:	308		507	599		814			
Std. Screen Size:	0.045"		0.045"	0.125"		0.125"			
Item Weight - Lbs:	125		234	355		812			

ITEM: Spare Screens									
Screen Material:	Spare Screen Pricing for Y-Strainers and Suction Diffusers, Type 304 SS (for 316 SS, multiply by 1.5)								
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	25	25	25	28	47	71	79	114	158
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	15	15	15	16	25	35	40	64	88
MESH COMPLETE W/ PERF. SUPPORT	40	40	40	44	72	106	119	178	247
Size:	3"	4"	5"	6"	8"	10"	12"	14"	16"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	211	351	510	703	1176	1720	2368	3103	3927
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	107	176	255	351	587	858	1184	1553	1964
MESH COMPLETE W/ PERF. SUPPORT	319	527	764	1053	1763	2579	3552	4657	5893

ITEM #:	B125TIR2						Cover Type:		Rotating Type	
M.A.W.P.:	200 psig at 100 F		End Connection:		N.P.T.		Drain Connection:		N.P.T.	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Buna-N O-Ring	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1 1/2"	2"	2 1/2"	3"	
Item Price:	613	613	613	697	802	943	1218	1359	1591	
Spare Gasket Price:	7	7	7	7	14	14	15	25	31	
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.045"	0.045"	
Item Weight - Lbs:	10	18	10	18	18	30	50	62	62	

ITEM #:	B300TSB2 / B300SWSB2						Cover Type:		Bolted	
M.A.W.P.:	740 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	517	695	695	1064	1064	1451				
Spare Gasket Price:	28	31	31	34	34	42				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	18	24	24	43	43	58				

ITEM #:	B300TSC2 / B300SWSC2						Cover Type:		C-Clamp	
M.A.W.P.:	100 psig at ambient		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS		Gasket:		Rubber	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	707	886	886	1366	1366	1743				
Spare Gasket Price:	28	31	31	34	34	42				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	20	26	26	45	45	60				

ITEM #:	B300TSSB2 / B300SWSSB2						Cover Type:		Bolted	
M.A.W.P.:	720 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		304 SS Sp. Wound	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	1315	1634	1634	2889	2889	3914				
Spare Gasket Price:	28	31	31	34	34	42				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	18	24	24	43	43	58				

ITEM #:	B300TSSC2 / B300SWSSC2						Cover Type:		C-Clamp	
M.A.W.P.:	100 psig at ambient		End Connection:		N.P.T. / Socket Weld		Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS		Gasket:		Rubber	
Size:	1/2"	3/4"	1"	1 1/4"	1 1/2"	2"				
Item Price:	1603	1923	1923	3321	3321	4347				
Spare Gasket Price:	28	31	31	34	34	42				
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"				
Item Weight - Lbs:	20	26	26	45	45	60				

Flanged Basket Strainers

ITEM #:	B125FIB1						Cover Type:		Bolted	
M.A.W.P.:	200/150 psig at 150 F		End Connection:		125 Lb. FF Flanged		Drain Connection:		Optional	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Rubber	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	314	422	576	681	1069	1397	2610	4205	6381	12696
Spare Gasket Price:	17	25	25	36	40	47	58	84	98	107
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"
Item Weight - Lbs:	22	31	42	70	90	124	270	385	670	1010
Size:	16"	18"	20"	24"						
Item Price:	15283	23109	31441	41112						
Sp. Gasket Price:	207	234	258	281						
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"						
Item Weight - Lbs:	1041	1446	1980	2790						

ITEM #:	B125FIC1						Cover Type:		C-Clamp	
M.A.W.P.:	50 psig at ambient		End Connection:		125 Lb. FF Flanged		Drain Connection:		Optional	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Rubber	
Size:	2"	2-1/2"	3"	4"	5"	6"				
Item Price:	497	585	707	874	1176	1523				
Spare Gasket Price:	17	25	25	36	40	47				
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"				
Item Weight - Lbs:	22	31	42	70	90	124				

ITEM #:	B125FIY1						Cover Type:		Yoke	
M.A.W.P.:	200 psig at 150 F		End Connection:		125 Lb. FF Flanged		Drain Connection:		N.P.T.	
Body Material:	Cast Iron		Screen:		304 SS		Gasket:		Buna-N O-ring	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	442	539	670	1114	1672	2004	3311	5772	9576	
Spare Gasket Price:	9	9	9	10	10	14	24	33	47	
Std. Screen Size:	0.0625"	0.0625"	0.0625"	0.0625"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:	27	29	42	65	95	148	198	350	720	

ITEM #:	B150FSB1									Cover Type:	Bolted
M.A.W.P.:	285 psig at 100 F		End Connection:		150 Lb. RF Flanged			Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS			Gasket:		304 SS Sp. Wound	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"		
Item Price:	729	1007	1404	2162	3009	3351	6382	9740	15079		
Spare Gasket Price:	39	39	46	49	98	85	104	139	155		
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs:	22	31	42	70	100	124	270	385	670		
Note: B150FSB1 & B150FSSB1 come with a Teflon gasket from factory; replacement gasket is 304SS Spiral wound											

ITEM #:	B150FSSB1									Cover Type:	Bolted
M.A.W.P.:	275 psig at 100 F		End Connection:		150 Lb. RF Flanged			Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS			Gasket:		304 SS Sp. Wound	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"		
Item Price:	1814	2066	3069	4599	P.O.A.	7598	13923	19927	33988		
Spare Gasket Price:	39	39	46	49		85	104	139	155		
Std. Screen Size:	0.045"	0.045"	0.045"	0.125"		0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs:	22	31	42	70		124	270	385	670		

ITEM #:	B150FSB2									Cover Type:	Bolted
M.A.W.P.:	285 psig at 100 F		End Connection:		150 Lb. RF Flanged			Drain Connection:		N.P.T.	
Body Material:	Carbon Steel (WCB)		Screen:		304 SS			Gasket:		304 SS Sp. Wound	
Size:	1-1/2"	2"	2 1/2"	3"	4"	5"	6"	8"			
Item Price:	662	1162	P.O.A.	2118	3017	P.O.A.	5971	9383			
Spare Gasket Price:	33	39		46	49		85	104			
Std. Screen Size:	0.045"	0.045"		0.045"	0.125"		0.125"	0.125"			
Item Weight - Lbs:	24	46		85	120		237	372			

ITEM #:	B150FSSB2									Cover Type:	Bolted
M.A.W.P.:	275 psig at 100 F		End Connection:		150 Lb. RF Flanged			Drain Connection:		N.P.T.	
Body Material:	316 SS (CF8M)		Screen:		304 SS			Gasket:		304 SS Sp. Wound	
Size:	1-1/2"	2"	2 1/2"	3"	4"	5"	6"	8"			
Item Price:	2113	3069	P.O.A.	5229	7765	P.O.A.	15821	26945			
Spare Gasket Price:	33	39		46	49		85	104			
Std. Screen Size:	0.045"	0.045"		0.045"	0.125"		0.125"	0.125"			
Item Weight - Lbs:	24	46		85	120		237	372			

Flanged Dual Basket Assembly Strainers

NOTE: Pricing for spare gaskets are for one [1]; you need to double this for both sides

ITEM #:	DB125FIBC2								Cover Type:	Bolted
M.A.W.P.:	200 psig at 100 F		End Connection:	125 lb. FF Flanged			Drain Connection:	N.P.T.		
Body Material:	Cast Iron		Screen:	304 SS			Gasket:	Rubber		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	P.O.A.	P.O.A.	5747	7662	9439	11176	17552	30159	46004	
Spare Gasket Price:			37	39	44	51	64	91	105	
Std. Screen Size:			0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:			325	350	500	800	1350	2050	4700	

ITEM #:	DB125FICC2								Cover Type:	C-Clamp
M.A.W.P.:	50 psig at ambient		End Connection:	125 lb. FF Flanged			Drain Connection:	N.P.T.		
Body Material:	Cast Iron		Screen:	304 SS			Gasket:	Rubber		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	P.O.A.	P.O.A.	6973	9297	11278	12913	19676	32488	49038	
Spare Gasket Price:			37	39	44	51	64	91	105	
Std. Screen Size:			0.045"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs:			325	350	500	800	1350	2050	4700	

Flanged Suction Diffusers

(Inlet x Outlet/pump)												
ITEM #:	SC125FIB										Cover Type:	Bolted
M.A.W.P.:	200/150 psig at 150 F		End Connection:	125 Lb. FF Flanged			Drain Connection:	Standard				
Body Material:	Cast Iron		Screen:	304 SS			Gasket:	Buna-N O-Ring				
Size:	2"x1-1/2"	2"x2"	2-1/2"x2"	2-1/2"x2-1/2"	3"x2"	3"x2-1/2"	3"x3"	4"x3"	4"x4"	5"x4"		
Item Price:	275	294	369	390	398	513	544	728	754	1095		
Spare Gasket Price:	10	10	16	16	21	21	21	36	36	47		
Std. Screen Size:	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.032"	0.125"	0.125"	0.125"		
Item Weight - Lbs:	21	21	23	32	34	45	49	55	70	92		
Size:	5"x5"	6"x4"	6"x5"	6"x6"	8"x5"	8"x6"	8"x8"	10"x8"	10"x10"	12"x8"		
Item Price:	1116	1158	1463	1551	1835	1875	2553	3236	3811	4598		
Spare Gasket Price:	47	47	57	57	57	57	113	113	160	160		
Std. Screen Size:	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"		
Item Weight - Lbs:	97	132	145	182	197	197	292	312	422	412		
Size:	12"x10"	12"x12"										
Item Price:	4853	5059										
Spare Gasket Price:	194	194										
Std. Screen Size:	0.125"	0.125"										
Item Weight - Lbs:	491	573										

Spare Baskets for Basket and Dual Basket Strainers

ITEM: Spare Baskets									
Screen Material:	Type 304 SS (for 316 SS, multiply by 1.5)								
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	N/A	N/A	185	185	185	185	185	185	282
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	N/A	N/A	94	94	94	94	94	94	143
MESH COMPLETE W/ PERF. SUPPORT	N/A	N/A	279	279	279	279	279	279	425
Size:	3"	4"	5"	6"	8"	10"	12"	14"	16"
1/32", 3/64", 1/16", 3/32", 1/8", 5/32", 3/16" 1/4", 3/8", 1/2" PERF	324	414	648	897	1291	1613	1934	2258	2581
20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250 300, MESH LINING ONLY	162	206	324	451	648	809	968	1130	1293
MESH COMPLETE W/ PERF. SUPPORT	487	621	972	1346	1938	2422	2902	3388	3874

Perforated Cone & Basket Strainers

ITEM #: TC150SS4W1 / TC300SS4W1 / TC600SS4W1		Available Mesh Sizes: 20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250,								
Type:	Conical	Connection:			150 lb. Wafer			Face Finish:		Smooth
Ring Material:	304 SS	Screen Material:			Priced as 304SS			316SS available		
Size:	O.A.	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Perforation:	100%	173	173	195	236	326	357	417	555	608
Perf c/w Mesh		248	248	269	313	407	442	562	708	776
Perforation:	150%	177	177	199	245	337	369	437	593	667
Perf c/w Mesh		250	250	277	327	428	466	589	763	863
Perforation:	200%	180	180	205	254	351	385	459	737	885
Perf c/w Mesh		254	254	282	344	446	487	621	866	971
Std. Screen Size		0.045"	0.045"	0.045"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"
Item Weight - Lbs.:		1	1	1	1	1	1	2	2	3
Size:	O.A.	8"	10"	12"	14"	16"	18"	20"	24"	
Perforation:	100%	758	1043	1215	1493	1780	2142	2415	3215	
Perf c/w Mesh		1012	1429	1661	1998	2384	2859	3239	4411	
Perforation:	150%	857	1222	1480	1793	2160	2610	2982	3986	
Perf c/w Mesh		1161	1694	2061	2445	2951	3559	4085	5615	
Perforation:	200%	973	1399	1571	2088	2501	3077	3598	4933	
Perf c/w Mesh		1339	1959	2192	2890	4220	4261	5006	6993	
Std. Screen Size		0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:		6	8	14	28	32	36	40	48	

ITEM #: TB150SS4W1 / TB300SS4W1 / TB600SS4W1		Available Mesh Sizes: 20, 30, 40, 50, 60, 80, 100, 125, 150, 200, 250,								
Type:	Basket	Connection:			150 lb. Wafer			Face Finish:		Smooth
Ring Material:	304 SS	Screen Material:			Priced as 304SS			316SS available		
Size:	O.A.	3/4"	1"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"
Perforation:	100%	173	173	195	236	326	357	417	555	608
Perf c/w Mesh		248	248	269	313	407	442	562	708	776
Perforation:	150%	177	177	199	245	337	369	437	593	667
Perf c/w Mesh		250	250	277	327	428	466	589	763	863
Perforation:	200%	180	180	205	254	351	385	459	737	885
Perf c/w Mesh		254	254	282	344	446	487	621	866	971
Std. Screen Size		0.045"	0.045"	0.045"	0.045"	0.045"	0.045"	0.125"	0.125"	0.125"
Item Weight - Lbs.:		1	1	1	1	1	1	2	2	3
Size:	O.A.	8"	10"	12"	14"	16"	18"	20"	24"	
Perforation:	100%	758	1043	1215	1493	1780	2142	2415	3215	
Perf c/w Mesh		1012	1429	1661	1998	2384	2859	3239	4411	
Perforation:	150%	857	1222	1480	1793	2160	2610	2982	3986	
Perf c/w Mesh		1161	1694	2061	2445	2951	3559	4085	5615	
Perforation:	200%	973	1399	1571	2088	2501	3077	3598	4933	
Perf c/w Mesh		1339	1959	2192	2890	4220	4261	5006	6993	
Std. Screen Size		0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	0.125"	
Item Weight - Lbs.:		6	8	14	28	32	36	40	48	

Dual Disc Check Valves

ITEM#:	DC125WIBB		(DC126WIBB)							
M.A.W.P.	200/150 psig at 150 F		End Connection:		Wafer		Seat Material:		Buna-N	
Body:	Cast Iron		Disc Material:		Bronze		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	74	90	131	202	266	387	677	1114	1585	2485
Unit Weight - Lbs	4.5	5.5	7	11.5	15	20	34	57	83	117
Size	16"		18"		20"		24"			
Item Price:	3645	5464	6681	9275						
Unit Weight - Lbs	155	177	215	315						

ITEM#:	DC125WISSB		(DC126WISSB)							
M.A.W.P.	200/150 psig at 150 F		End Connection:		Wafer		Seat Material:		Buna-N	
Body:	Cast Iron		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	62	90	110	168	207	300	545	904	1298	2077
Unit Weight - Lbs	5	6	7	12	15	20	34	57	83	117
Size	16"		18"		20"		24"			
Item Price:	2819	4209	5325	7822						
Unit Weight - Lbs	155	177	215	315						

ITEM#:	DR150WSSSV									
M.A.W.P.	285 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	339	443	486	715	986	1379	1873	2961	4589	6602
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	8614	10349	13729	18576						
Unit Weight - Lbs	295	312	472	788						

ITEM#:	DR150WLCSSV									
M.A.W.P.	290 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	339	443	486	715	986	1379	1873	2961	4589	6602
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	8614	10349	13729	18576						
Unit Weight - Lbs	295	312	472	788						

ITEM#:	DR150WSSSM10									
M.A.W.P.	285 psig at 100 F		End Connection:		Wafer		Seat Material:		API Overlay	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	455	564	669	979	1175	1668	2515	3737	5656	8057
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"		18"		20"		24"			
Item Price:	11345	15377	17973	23299						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR150WSSSSV										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	559	710	859	1349	1755	2397	3963	6393	10448	11588
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"	18"	20"	24"						
Item Price:	15033	17554	23672	31571						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR150WSSSM10										
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	656	804	1092	1483	2176	2562	4231	6806	10946	13880
Unit Weight - Lbs	7	11	13	18	30	35	63	106	180	270
Size	16"	18"	20"	24"						
Item Price:	19696	23875	30706	39857						
Unit Weight - Lbs	295	312	472	788						

ITEM#: DR300WSSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	406	486	547	809	784	1451	2281	3482	4927	9406
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"	18"	20"	24"						
Item Price:	13690	17017	20456	26404						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WLCSSV										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	406	486	547	809	784	1451	2281	3482	4927	9406
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"	18"	20"	24"						
Item Price:	13690	17017	20456	26404						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSM10										
M.A.W.P.	740 psig at 100 F		End Connection:		Wafer		Seat Material:		API Overlay	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	518	604	723	1024	1155	1930	2867	4217	6011	11345
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"	18"	20"	24"						
Item Price:	16028	20260	23731	30497						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSSV										
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	667	880	1056	1451	2142	3275	5391	8057	12524	17816
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"	18"	20"	24"						
Item Price:	27379	32089	40007	50356						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR300WSSSM10										
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	723	1050	1248	1533	2293	3432	5659	8476	13021	21798
Unit Weight - Lbs	7	11	13	18	30	44	76	126	200	390
Size	16"		18"		20"		24"			
Item Price:	30923	41881	45444	56225						
Unit Weight - Lbs	458	650	801	1150						

ITEM#: DR600WSSSV										
M.A.W.P.	1480 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	510	551	656	1004	1553	2326	3860	6142	8844	10672
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	16526	23810	29548	43191						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WLCSSV										
M.A.W.P.	1500 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	510	551	656	1004	1553	2326	3860	6142	8844	10672
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	16526	23810	29548	43191						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSSM10										
M.A.W.P.	1480 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		API Overlay	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	591	697	796	1183	1710	2532	4335	6626	9755	15484
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	18963	27458	33340	46269						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#: DR600WSSSV										
M.A.W.P.	1440 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	786	1011	1206	2195	4624	5620	9072	16847	22755	32134
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"		18"		20"		24"			
Item Price:	35154	49780	63352	89630						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#:	DR600WSSSSM10									
M.A.W.P.	1440 psig at 100 F		End Connection:		Wafer (RF/RJ)		Seat Material:		Metal	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Inconel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	788	1116	1314	2287	4762	5771	9340	17260	23253	29658
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	410
Size	16"	18"	20"	24"						
Item Price:	39674	55806	70426	98538						
Unit Weight - Lbs	728	870	1196	1802						

ITEM#:	DR150LSSSV									
M.A.W.P.	285 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	623	917	990	1428	2017	2450	3825	6636	10553	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR150LLCSSV									
M.A.W.P.	290 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	623	917	990	1428	2017	2450	3825	6636	10553	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR150LSSSSV									
M.A.W.P.	275 psig at 100 F		End Connection:		Wafer		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	904	1474	1474	2260	3374	3891	6642	12183	20862	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	46	82	138	234	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR300LSSSV									
M.A.W.P.	740 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	767	1081	1153	1802	2515	3243	4716	8633	12917	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR300LLCSSV									
M.A.W.P.	740 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	767	1081	1153	1802	2515	3243	4716	8633	12917	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR300LSSSV									
M.A.W.P.	720 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1323	1867	1939	3243	4697	5837	8764	17103	26331	P.O.A.
Unit Weight - Lbs	9	14	17	23	39	57	99	164	260	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR600LSSSV									
M.A.W.P.	1480 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (WCB)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	996	1336	1579	2431	4140	5535	8679	15452	22257	P.O.A.
Unit Weight - Lbs	9	14	17	36	39	104	208	338	468	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR600LLCSSV									
M.A.W.P.	1500 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	Carbon Steel (LCC)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	996	1336	1579	2431	4140	5535	8679	15452	22257	P.O.A.
Unit Weight - Lbs	9	14	17	36	39	104	208	338	468	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

ITEM#:	DR600LSSSV									
M.A.W.P.	1440 psig at 100 F		End Connection:		Lug		Seat Material:		Viton	
Body:	316 SS (CF8M)		Disc Material:		316 SS		Spring:		Stainless Steel	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1546	2142	2450	4035	7729	10231	16657	32508	47160	P.O.A.
Unit Weight - Lbs	7	11	13	28	30	80	160	260	360	
Size	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Unit Weight - Lbs										

Dual Disc Check Valve Inconel X750 Valve Springs

ITEM:	Inconel X750 Valve Springs									
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	79	99	99	99	197	210	380	636	767	1821
Unit Weight - Lbs	1	1	1	1	1	2	2	3	3	3
Size	16"	18"	20"	24"						
Item Price:	3466	3570	3930	5869						
Unit Weight - Lbs	4	4	4	4						

Silent Threaded (N.P.T.) Check Valves

NOTE: Socketweld end caps available, consult factory for pricing and availability									
ITEM #: SC600TSSSSM									
M.A.W.P.: 600 psig at 150 F		End Connection:			N.P.T.		Seat Material:		Metal
Body Material: 316 SS (CF8M)		Disc Material:			316 SS (CF8M)		Spring:		Stainless Steel
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"
Item Price:	95	95	123	149	194	270	341	550	904
Item Weight - Lbs.:	1	1	1	3	3.5	4	5	5.5	6
Note: 1-1/4" SC600 is a 1-1/2" SC600 bushed down									

Swing Check Valves (N.P.T / S.W)

NOTE: Socketweld Ends will be machined from NPT									
ITEM #: CV800TSM8 - API Trim 8									
M.A.W.P.: 2000 psig at 100 F		End Connection:			N.P.T.		Seat Material:		A276-410 + STL
Body Material: Carbon Steel (A105N)		Disc Material:			A276 -420		Hinge:		316 SS
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	
Item Price:	103	103	103	115	168	238	296	421	
Item Weight - Lbs.:	1	1	2	3	5.0	10	11	17.0	

NOTE: Socketweld Ends will be machined from NPT									
ITEM #: CV800TSSM12 - API Trim 12									
M.A.W.P.: 2000 psig at 100 F		End Connection:			N.P.T.		Seat Material:		A276-410 + STL
Body Material: Stainless Steel (F316)		Disc Material:			A276 -420		Hinge:		316 SS
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	
Item Price:	264	264	264	296	471	856	856	1317	
Item Weight - Lbs.:	1	1	2	3	5.0	10	11	17.0	

Silent Wafer Check Valves

ITEM #: SC125WIBM									
M.A.W.P.: 200 psig at 150 F		End Connection:			Wafer		Seat Material:		Bronze
Body Material: Cast Iron		Disc Material:			Bronze		Spring:		Stainless Steel
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	207	250	343	676	973	1241	2893	4672	8625
Item Weight - Lbs.:	5	7	10	18	27	39	89	173	240

ITEM #: SC125WISSM									
M.A.W.P.: 200 psig at 150 F		End Connection:			Wafer		Seat Material:		Stainless Steel
Body Material: Cast Iron		Disc Material:			316 SS		Spring:		Stainless Steel
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	225	267	361	614	1046	1304	3034	4892	9037
Item Weight - Lbs.:	5	7	10	18	27	39	89	173	240

ITEM #: SC150WSSSM									
M.A.W.P.: 285 psig at 100 F		End Connection:			Wafer		Seat Material:		316 SS
Body Material: Carbon Steel		Disc Material:			316 SS		Spring:		Stainless Steel
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"
Item Price:	291	348	470	827	1336	1784	3729	6236	11314
Item Weight - Lbs.:	5	7	10	18	27	39	89	173	240

ITEM #: SC150WSSSM										
M.A.W.P.:	275 psig at 100 F		End Connection:	Wafer			Seat Material:	316 SS		
Body Material:	316 SS (CF8M)		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	561	663	899	1516	2637	3488	7706	13599	P.O.A.	
Item Weight - Lbs.:	5	7	10	18	27	39	89	173		

Silent Flanged Check Valves										
ITEM #: SC125FIBM										
M.A.W.P.:	200/150 psig at 150 F		End Connection:	125 Lb. FF Flanged			Seat Material:	Bronze		
Body Material:	Cast Iron		Disc Material:	Bronze			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	623	799	983	1331	2000	2387	4008	6066	10052	15757
Item Weight - Lbs.:	14	23	26	59	74	96	178	288	350	525
Size:	16"	18"								
Item Price:	18805	20891								
Item Weight - Lbs.:	650	892								

ITEM #: SC150FSSSM										
M.A.W.P.:	285 psig at 100 F		End Connection:	150 Lb. RF Flanged			Seat Material:	316 SS		
Body Material:	Carbon Steel		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	948	1148	1480	2080	2764	3597	6218	9522	15047	20456
Item Weight - Lbs.:	14	23	26	59	74	96	178	288	350	525
Size:	16"	18"	20"	24"						
Item Price:	27340	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:	650									

ITEM #: SC150FSSSM										
M.A.W.P.:	275 psig at 100 F		End Connection:	150 Lb. RF Flanged			Seat Material:	316 SS		
Body Material:	316 SS (CF8M)		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2366	3142	4649	5826	7936	9196	16591	26448	50261	P.O.A.
Item Weight - Lbs.:	14	23	26	59	74	96	178	288	350	
Size:	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

ITEM #: SC300FSSSM										
M.A.W.P.:	740 psig at 100 F		End Connection:	300 Lb. RF Flanged			Seat Material:	316 SS		
Body Material:	Carbon Steel		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1507	1822	2296	3458	4778	5868	10746	16500	24858	P.O.A.
Item Weight - Lbs.:	17	28	31	71	89	115	214	346	420	
Size:	16"	18"	20"	24"						
Item Price:	P.O.A.	P.O.A.	P.O.A.	P.O.A.						
Item Weight - Lbs.:										

ITEM #:	SC300FSSSM									
M.A.W.P.:	720 psig at 100 F		End Connection:	300 Lb. RF Flanged			Seat Material:	316 SS		
Body Material:	316 SS (CF8M)		Disc Material:	316 SS			Spring:	Stainless Steel		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	4599	5337	7073	10726	15417	17375	31386	50934	92112	
Item Weight - Lbs.:	17	28	31	71	89	115	214	346	420	
Size:	16"		18"		20"		24"			
Item Price:	P.O.A.		P.O.A.		P.O.A.		P.O.A.			
Item Weight - Lbs.:										

Soft Seats for Silent Check Valves

ITEM:	Soft Seat Adder for Silent Check Valves									
Material:	Viton									
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	824	878	884	1184	1235	1293	1402	1516	1536	

Foot Valves

ITEM #:	FV125FIBB									
M.A.W.P.:	200/150 psig at 150 F		End Connection:	125 lb. FF Flanged			Seat Material:	Buna-N		
Body Material:	Cast Iron		Disc Material:	Bronze			Spring:	None		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	1802	2224	2471	3041	4054	5237	6475	9833	14063	21447
Item Weight - Lbs.:	25	32	45	70	90	115	181	265	425	550
Size:	16"									
Item Price:	P.O.A.									
Item Weight - Lbs.:										

ITEM #:	FV150FSSSB									
M.A.W.P.:	285 psig at 100 F		End Connection:	150 lb. RF Flanged			Seat Material:	Buna-N		
Body Material:	Carbon Steel (WCB)		Disc Material:	316 SS			Spring:	None		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	2281	2662	3027	4089	5108	5796	9025	12913	18724	P.O.A.
Item Weight - Lbs.:	32	42	55	88	110	140	215	310	500	
Size:	16"		18"		20"		24"			
Item Price:	P.O.A.		P.O.A.		P.O.A.		P.O.A.			
Item Weight - Lbs.:										

ITEM #:	FV150FSSSV									
M.A.W.P.:	275 psig at 100 F		End Connection:	150 lb. RF Flanged			Seat Material:	Viton		
Body Material:	316 SS		Disc Material:	316 SS			Spring:	None		
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"
Item Price:	3946	5015	6471	8035	10832	12210	20252	31085	55382	P.O.A.
Item Weight - Lbs.:	32	42	55	88	110	140	215	310	500	
Size:	16"		18"		20"		24"			
Item Price:	P.O.A.		P.O.A.		P.O.A.		P.O.A.			
Item Weight - Lbs.:										

Gate Valves (N.P.T / S.W)

NOTE: Socketweld Ends will be machined from NPT										
ITEM #: GV800TSM8 - API Trim 8										
M.A.W.P.:	2000 psig at 100 F			End Connection:	N.P.T.		Wedge:	A276-420		
Body Material:	Carbon Steel (A105N)			Disc Material:	A276-410 + STL		Stem:	A276-410		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	103	103	103	115	168	238	296	421		
Item Weight - Lbs.:	3	3	3	4	7	14	14	18		

NOTE: Socketweld Ends will be machined from NPT										
ITEM #: GV800TSSM12 - API Trim 12										
M.A.W.P.:	2000 psig at 100 F			End Connection:	N.P.T.		Wedge:	A276-420		
Body Material:	Stainless Steel (A182-F316)			Disc Material:	A276-410 + STL		Stem:	A276-410		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	264	264	264	296	471	856	856	1317		
Item Weight - Lbs.:	3	3	3	4	7	14	14	18		

Globe Valves (N.P.T / S.W)

NOTE: Socketweld Ends will be machined from NPT										
ITEM #: GV800TSM8 - API Trim 8										
M.A.W.P.:	2000 psig at 100 F			End Connection:	N.P.T.		Seat Material:	A276-420		
Body Material:	Carbon Steel (A105N)			Disc Material:	A276-420		Stem:	A276-410		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	103	103	103	115	168	238	296	421		
Item Weight - Lbs.:	3	3	3	4	7	14	14	18		

NOTE: Socketweld Ends will be machined from NPT										
ITEM #: GV800TSSM12 - API Trim 12										
M.A.W.P.:	2000 psig at 100 F			End Connection:	N.P.T.		Seat Material:	A276-420		
Body Material:	Stainless Steel (A182-F316)			Disc Material:	A276-420		Stem:	A276-410		
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"		
Item Price:	264	264	264	296	471	856	856	1317		
Item Weight - Lbs.:	3	3	3	4	7	14	14	18		

Resilient Seated Butterfly Valves

ITEM #:	BI126WDDDB/EB					Operator:	Bare				
M.A.W.P.:	200/150 psig at 150 F			End Connection:	Wafer		Seat Material:	Buna-N / EPDM			
Body Material:	Ductile Iron			Disc Material:	Ductile Iron		Shaft Material:	416 SS			
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	68	85	102	140	192	223	344	520	717	1015	
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95	
Size:	16"	18"	20"	24"	30"	36"	42"	48"			
Item Price:	1722	2123	2552	4638	P.O.A.	P.O.A.	P.O.A.	P.O.A.			
Item Weight - Lbs.:	117	165	275	440							

ITEM #:	BI126WDBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F			End Connection:			Wafer			Seat Material:		Buna-N / EPDM
Body Material:	Ductile Iron			Disc Material:			Bronze			Shaft Material:		416 SS
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	89	116	139	235	325	412	684	1166	1723	2440		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	3858	5018	6419	11192	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	117	165	275	440								

ITEM #:	BI126WDSSBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F			End Connection:			Wafer			Seat Material:		Buna-N / EPDM
Body Material:	Ductile Iron			Disc Material:			316 SS			Shaft Material:		316 SS
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	83	105	126	201	278	344	559	929	1352	1945		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	3103	3973	5043	8837	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	117	165	275	440								

ITEM #:	BI126WDSSTB										Operator:	Bare
M.A.W.P.:	200 psig at 150 F			End Connection:			Wafer			Seat Material:		Teflon
Body Material:	Ductile Iron			Disc Material:			316 SS			Shaft Material:		316 SS
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"			
Item Price:	107	146	180	266	394	502	796	1249	1957			
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70			

ITEM #:	BI126WDSSVB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F			End Connection:			Wafer			Seat Material:		Viton
Body Material:	Ductile Iron			Disc Material:			316 SS			Shaft Material:		316 SS
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	164	200	244	382	523	625	909	1520	2386	2835		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	4809	6068	7300	13259	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	195	230	396	610								

ITEM #:	BI126LDDB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F			End Connection:			Lug			Seat Material:		Buna-N / EPDM
Body Material:	Ductile Iron			Disc Material:			Ductile Iron			Shaft Material:		416 SS
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	90	109	123	175	236	280	425	640	923	1338		
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	2139	2752	3566	5434	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	195	230	396	610								

ITEM #:	BI126LDBB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Lug		Seat Material:		Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:		Bronze		Shaft Material:		416 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	105	139	158	271	367	460	744	1285	1919	2724		
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	4260	5569	7410	11966	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	195	230	396	610								

ITEM #:	BI126LDSSB/EB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Lug		Seat Material:		Buna-N / EPDM	
Body Material:	Ductile Iron				Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	104	126	148	237	322	403	641	1431	1561	2273		
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	3529	4611	6072	9648	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	195	230	396	610								

ITEM #:	BI126LDSSTB										Operator:	Bare
M.A.W.P.:	200/150 psig at 150 F				End Connection:		Lug		Seat Material:		Teflon	
Body Material:	Ductile Iron				Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	151	193	231	342	455	577	907	1823	2207	2978		
Item Weight - Lbs.:	7	8	14	26	28	31	49	72	105	155		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	4459	6135	8644	14096	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	195	230	396	610								

ITEM #:	BI126LDSSVB										Operator:	Bare
M.A.W.P.:	200 psig at 150 F				End Connection:		Lug		Seat Material:		Viton	
Body Material:	Ductile Iron				Disc Material:		316 SS		Shaft Material:		316 SS	
Size:	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"		
Item Price:	186	221	252	418	567	684	992	2023	2386	3162		
Item Weight - Lbs.:	6	7	10	13	18	20	32	42	70	95		
Size:	16"	18"	20"	24"	30"	36"	42"	48"				
Item Price:	5233	6706	8330	14070	P.O.A.	P.O.A.	P.O.A.	P.O.A.				
Item Weight - Lbs.:	195	230	396	610								

OPERATOR OPTIONS for Resilient Seated Butterfly Valves

ITEM:	Price Adders for Lever Handle c/w 10 Position Plate										
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	20	20	20	20	20	20	27	32	32		
Item Weight - Lbs.:	2	2	2	2	2	2	4	4	4		

ITEM:	Price Adders for Manual Gear c/w Wheel										
	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	77	77	77	77	77	77	153	153	166	166	
Item Weight - Lbs.:	10	10	10	10	10	10	28	28	33	33	
Size:	16"	18"	20"	24"	30"	36"	42"	48"			
Item Price:	608	608	608	1019	P.O.A.	P.O.A.	P.O.A.	P.O.A.			
Item Weight - Lbs.:	71	71	80	80							

High Performance Butterfly Valves

MODEL	HB150WSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	285 psig at 100 F					End Connection:					Wafer					Seat:					RTFE				
Body:	Carbon Steel (WCB)					Disc:					316 SS					Shaft:					316 SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	1079		1304		1410		1747		2235		2766		4459		5497		7750		9469						
Unit Weight - Lbs	14		20		26		44		50		57		70		112		158		187						
Size	16"		18"		20"		24"																		
Item Price:	11661		14695		18445		25948																		
Unit Weight - Lbs	255		352		455		704																		

MODEL	HB150LSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	285 psig at 100 F					End Connection:					Lug					Seat:					RTFE				
Body:	Carbon Steel (WCB)					Disc:					316 SS					Shaft:					316 SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	1199		1348		1490		2158		2412		2892		4676		5874		8592		10305						
Unit Weight - Lbs	15		25		35		48		56		64		80		128		191		216						
Size	16"		18"		20"		24"																		
Item Price:	16379		14890		21994		25990																		
Unit Weight - Lbs	315		462		572		880																		

MODEL	HB150WSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	275 psig at 100 F					End Connection:					Wafer					Seat:					RTFE				
Body:	316 SS (CF8M)					Disc:					316 SS					Shaft:					316 SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	1258		1640		1773		2339		2944		3750		5924		7218		10206		12663						
Unit Weight - Lbs	14		20		26		44		50		57		70		112		158		187						
Size	16"		18"		20"		24"																		
Item Price:	15812		19837		24227		33848																		
Unit Weight - Lbs	255		352		455		704																		

MODEL	HB150LSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	275 psig at 100 F					End Connection:					Lug					Seat:					RTFE				
Body:	316 SS (CF8M)					Disc:					316 SS					Shaft:					316 SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	1498		1799		1969		2758		3379		4017		6384		8114		12175		15065						
Unit Weight - Lbs	15		25		35		48		56		64		80		128		191		216						
Size	16"		18"		20"		24"																		
Item Price:	19767		24386		31526		41296																		
Unit Weight - Lbs	315		462		572		880																		

MODEL	HB300WSSSSL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.	740 psig at 100 F					End Connection:					Wafer					Seat:					RTFE				
Body:	Carbon Steel (WCB)					Disc:					316 SS					Shaft:					316 SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	1139		1268		1517		1880		2395		2820		4556		5720		8380		10074						
Unit Weight - Lbs	15		20		26		44		52		59		99		148		187		231						
Size	16"		18"		20"		24"																		
Item Price:	13008		15953		21042		28439																		
Unit Weight - Lbs	396		594		704		902																		

MODEL	HB300LSSSRL/G		Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR								
M.A.W.P.	740 psig at 100 F		End Connection:		Lug			Seat:		RTFE	
Body:	Carbon Steel (WCB)		Disc:		316 SS			Shaft:		316 SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1320	1464	1623	2278	2625	3157	5028	6811	9258	12335	
Unit Weight - Lbs	16	26	35	48	65	81	139	227	246	484	
Size	16"	18"	20"	24"							
Item Price:	15341	20236	24715	34488							
Unit Weight - Lbs	616	792	990	1540							

MODEL	HB300WSSSRL/G		Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR								
M.A.W.P.	720 psig at 100 F		End Connection:		Wafer			Seat:		RTFE	
Body:	316 SS (CF8M)		Disc:		316 SS			Shaft:		316 SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1439	1773	2094	2670	3282	3911	6323	7893	11847	14499	
Unit Weight - Lbs	15	20	26	44	52	59	99	148	187	231	
Size	16"	18"	20"	24"							
Item Price:	18489	23233	31613	40268							
Unit Weight - Lbs	396	594	704	902							

MODEL	HB300LSSSRL/G		Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR								
M.A.W.P.	720 psig at 100 F		End Connection:		Lug			Seat:		RTFE	
Body:	316 SS (CF8M)		Disc:		316 SS			Shaft:		316 SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	1739	2094	2315	3068	3893	4673	7281	10411	13718	20803	
Unit Weight - Lbs	16	26	35	48	65	81	139	227	246	484	
Size	16"	18"	20"	24"							
Item Price:	24795	35285	41750	57348							
Unit Weight - Lbs	616	792	990	1540							

MODEL	HB600WSSSRL/G		Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR								
M.A.W.P.	1480 psig at 100F		End Connection:		Wafer			Seat:		RTFE	
Body:	Carbon Steel (WCB)		Disc:		316SS			Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	2303	2851	3454	4283	4549	5317	7236	11458	16760	19900	
Unit Weight - Lbs			64	84	121	165	299	440	649		
Size	16"	18"	20"	24"							
Item Price:	26017	31467	41501	56082							
Unit Weight - Lbs											

MODEL	HB600LSSSRL/G		Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR								
M.A.W.P.	1480 psig at 100F		End Connection:		Lug			Seat:		RTFE	
Body:	Carbon Steel (WCB)		Disc:		316SS			Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	2522	3344	4003	4275	4989	5976	8388	14911	17762	23463	
Unit Weight - Lbs			85	112	162	219	399	587	865		
Size	16"	18"	20"	24"							
Item Price:	28672	37060	45745	61620							
Unit Weight - Lbs											

MODEL	HB600WSSSRL/G		Operator: 2" THRU 6" C/W LEVER; 8" & UP WITH GEAR								
M.A.W.P.	1440 psig at 100F		End Connection:		Wafer			Seat:		RTFE	
Body:	316SS (CF8M)		Disc:		316SS			Shaft:		316SS	
Size	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	14"	
Item Price:	2906	3400	3784	5209	6305	7292	10855	15845	23409	28618	
Unit Weight - Lbs			64	84	121	165	299	440	649		
Size	16"	18"	20"	24"							
Item Price:	36457	45832	62387	79480							
Unit Weight - Lbs											

MODEL	HB600LSSSSRL/G										Operator:	2" THRU 6" C/W LEVER; 8" & UP WITH GEAR													
M.A.W.P.:	1440 psig at 100F					End Connection:					Lug					Seat:					RTFE				
Body:	316SS (CF8M)					Disc:					316SS					Shaft:					316SS				
Size	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"						
Item Price:	3400		3892		4605		6030		7018		8114		11895		22422		26698		41007						
Unit Weight - Lbs					85		112		162		219		399		587		865								
Size	16"		18"		20"		24"																		
Item Price:	44570		59482		72530		95391																		
Unit Weight - Lbs																									

Operator Options for High Performance Butterfly Valve

ITEM:	Price Adders: Manual Gear, c/w Handwheel											
	2"		2-1/2"		3"		4"		5"		6"	
Item Price:	1304		1304		1304		1304		1568		1568	
Item Weight - Lbs.:	1.5		2		2		2		3		4	

Replacement Parts - High Performance Butterfly Valve

ITEM:	Replacement RTFE Seats																			
	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"	
Item Price:	132		171		171		277		381		381		611		794		1328		1429	
Size	16"		18"		20"		24"													
Item Price:	1934		3207		3767		5395													

ITEM:	Replacement Packing																			
	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"	
Item Price:	80		80		80		82		88		88		93		118		146		174	
Size	16"		18"		20"		24"													
Item Price:	207		225		463		514													

ITEM:	Replacement Gasket																			
	2"		2-1/2"		3"		4"		5"		6"		8"		10"		12"		14"	
Item Price:	12		12		12		15		15		15		20		25		27		30	
Size	16"		18"		20"		24"													
Item Price:	33		40		44		57													

Flanged Triple Duty Valves

Note: Bronze disc model TD125FIBE has been discontinued																				
ITEM #:	TD125FIDE																			
M.A.W.P.:	200 psig at 150 F					End Connection:					125 Lb. FF Flanged		Disc Material:		C.I. Nickel Plated					
Body Material:	Cast Iron					Guide:					Cast Iron		O-Ring:		EPDM					
Size:	2"		2 1/2"		3"		4"		5"		6"		8"		10"		12"		14"	
Item Price:	543		653		811		1743		2329		2947		5028		7852		12507		15071	
Item Weight - Lbs.:	34		40		50		100		155		200		350		480		660		790	

N.P.T. and Flanged Drip Pan Elbows

ITEM #:	D125PE																			
M.A.W.P.:	200 psig at 150 F					End Connection:					3/4" - 4", N.P.T.		6" & 8", 125 Lb. FF Flanged							
Body Material:	Cast Iron																			
Size:	3/4"		1"		1 1/4"		1 1/2"		2"		2 1/2"		3"		4"		6"		8"	
Item Price:	36		36		93		93		106		146		226		275		812		1491	
Item Weight - Lbs.:	2		2		7.5		7.5		8.5		12		19		25		105		202	

Neoprene Connectors

ITEM #:	AUM (CTNT)		Extended Double Sphere								
M.A.W.P.:	150 psig at 200 F		End Connection:		N.P.T.			Style:		Twin	
Elastomer:	Neoprene		Reinforcement:		Nylon Cloth			Union:		Zinc Plated C.I.	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"			
Item Price:	48	68	69	77	91	113	P.O.A.	P.O.A.			
Item Weight - Lbs.:	1	2	3	4	5	6					

ITEM #:	ASM (CFNS)		Single Sphere								
M.A.W.P.:	200/100 psig at 200 F		End Connection:		Flanged			Style:		Single	
Elastomer:	Neoprene		Reinforcement:		Synthetic			Flanges:		Zinc Plated C.S.	
Size:	1-1/4"	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"	10"	
Item Price:	60	69	91	122	148	198	272	351	507	749	
Item Weight - Lbs.:	5	6	8	12	14	18	23	26	40	56	
Size:	12"	14"	16"	18"	20"	24"					
Item Price:	1021	1293	1597	P.O.A.	P.O.A.	P.O.A.					
Item Weight - Lbs.:	85	99	128								

ITEM #:	ATM (CFNT)		Double Sphere								
M.A.W.P.:	200/100 psig at 200 F		End Connection:		Flanged			Style:		Twin	
Elastomer:	Neoprene		Reinforcement:		Synthetic			Flanges:		Zinc Plated C.S.	
Size:	1-1/2"	2"	2-1/2"	3"	4"	5"	6"	8"	10"	12"	
Item Price:	86	111	141	173	252	332	425	736	934	1252	
Item Weight - Lbs.:	6	8	12	14	18	23	28	45	62	90	

Unibody Threaded End Ball Valves

ITEM #:	1RB20TCSCO Firesafe										
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.			Operator:		Oval Latching	
Body / Ball	Carbon (WCB) / 316 SS		Type and Port:		1 pc Reduded Port			Seat Material:		Polycarbon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"			
Item Price:	95	95	95	107	138	198	262	345			
Item Weight - Lbs.:	1	1	1	1	2	3	4	5			

ITEM #:	1RB20TCSSCO Firesafe										
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.			Operator:		Oval Latching	
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		1 pc Reduded Port			Seat Material:		Polycarbon	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"			
Item Price:	122	122	122	137	191	284	389	512			
Item Weight - Lbs.:	1	1	1	1	2	3	4	5			

Two Piece Threaded End Ball Valves

ITEM #:	2FB6TBTH (NPT End) - NSF / UL / FM Approved										
M.A.W.P.:	600 psig at 100 F		End Connection:		N.P.T.			Operator:		Lever (no latch)	
Body / Ball	Brass / Brass		Type and Port:		2 pc Full Port			Seat Material:		PTFE	
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"	
Item Price:	13	13	16	24	38	59	80	113	267	355	
Item Weight - Lbs.:	1	1	1	1	1	2	2	3	6	10	

ITEM #:	2FB6TBTH (Sweat End) - NSF / UL / FM Approved										
M.A.W.P.:	600 psig at 100 F		End Connection:		N.P.T.			Operator:		Lever (no latch)	
Body / Ball	Brass / Brass		Type and Port:		2 pc Full Port			Seat Material:		PTFE	
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"			
Item Price:	15	23	36	56	77	117	249	331			
Item Weight - Lbs.:	1	1	1	2	2	3	6	10			

ITEM #: 2FB10TSSSTL									
M.A.W.P.:	1000 psig at 100 F		End Connection:		N.P.T.		Operator:		Latching Lever
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		2 pc Full Port		Seat Material:		Teflon
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	
Item Price:	27	27	27	35	58	84	116	162	
Item Weight - Lbs.:	1	1	1	1	2	2	4	6	

Three Piece Threaded End Ball Valves

ITEM #: 3FB10TSSRL / 3FB10SWSSRL									
M.A.W.P.:	1000 psig at 100 F		End Connection:		N.P.T. / Socket Weld		Operator:		Latching Lever
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		3 pc Full Port		Seat Material:		RTFE
Size:	1/4"	3/8"	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"	
Item Price:	32	32	60	80	107	218	218	304	
Item Weight - Lbs.:	1	1	2	2	3	5	7	10	

ITEM #: 3SB20TCSCSCL / 3SB20SWCSCL									
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.		Operator:		Latching Lever
Body / Ball	Carbon (WCB) / 316 SS		Type and Port:		3 pc Standard Port		Seat Material:		Polycarbon
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"			
Item Price:	140	171	246	408	430	643			
Item Weight - Lbs.:	2	3	4	6	8	11			

ITEM #: 3SB20TSSRL / 3SB20SWSSRL									
M.A.W.P.:	2000 psig at 100 F		End Connection:		N.P.T.		Operator:		Latching Lever
Body / Ball	316SS (CF8M) / 316 SS		Type and Port:		3 pc Standard Port		Seat Material:		RTFE
Size:	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"			
Item Price:	117	143	205	341	358	533			
Item Weight - Lbs.:	2	3	4	6	8	11			